

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

# Trade name INDULINE GW-310

Article number: 3384-85, 3397-98, 15045-47

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Product category PC8 Biocidal products

# **Process category**

PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

#### Environmental release category

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ERC10a Widespread use of articles with low release (outdoor)

#### Application of the substance / the mixture Wood treatment

Uses advised against No further relevant information available.

# 1.3 Details of the supplier of the safety data sheet

# Manufacturer/Supplier:

Remmers GmbH
Postfach 1255
D-49624 Löningen / Germany

Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985

Information department:

Product Safety department: Tel.: Steve Dunn Tel.: +44 (0) 1293 594 010

E-Mail: sales@remmers.co.uk

# 1.4 Emergency telephone number:

during working hours:

U.K.: Tel.: +44 (0) 1293 594 010

sales@remmers.co.uk

Head Office Germany: Tel.: +49 (0)5432 83 187

info@remmers.de

after working hours: Tel.: +49 (0)171 21 34 091

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

(Contd. on page 2)

Remmers (UK) Limited Unit B1 The Fleming Centre

West Sussex RH10 9NN

fon +44 (0) 1293 594 010

fax +44 (0) 1293 594 037

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 1)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Void

**Hazard statements** 

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

EUH208 Contains 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
	propylene glycol substance with a Community workplace exposure limit	≥1-<2.5%
EINECS: 203-905-0	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥1-<2.5%
	titanium dioxide Carc. 2, H351	≥1-<2.5%
EINECS: 259-627-5 Index number: 616-212-00-7	3-iodo-2-propynyl butylcarbamate Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.25-<1%

**Additional information** For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** When symptoms occur or in case of doubt, seek medical advice **After inhalation** 

Seek medical treatment in case of complaints.

Supply fresh air and call for doctor for safety reasons.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 2)

#### After skin contact

If skin irritation continues, consult a doctor.

Wash immediately with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Danger Long-term or repeated exposure may cause inflammation of the skin (dermatitis).

### 4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

Use fire fighting measures that suit the environment.

# 5.2 Special hazards arising from the substance or mixture

May be released in case of fire

Carbon monoxide (CO)

Carbon dioxide

formaldehyde

(Traces)

# 5.3 Advice for firefighters

### Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

#### Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

#### 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform responsible authorities in case product reaches bodies of water or sewage system.

Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Use only in well ventilated areas.

Information about protection against explosions and fires: The product is not flammable

# 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information on storage in a common storage facility: none

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 3)

### Further information about storage conditions:

Protect from frost.

Store container in a well ventilated position.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical systems: No further data; see item 7.

#### 8.1 Control parameters

Components with limit values that require monitoring at the workplace:		
CAS: 57-55-6 propylene glycol		
WEL Long-term value: 474* 10** mg/m³, 150* ppm  *total vapour and particulates **particulates		
CAS: 111-76-2 2-butoxyethanol		
WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV		
CAS: 13463-67-7 titanium dioxide		
WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable		
Ingredients with biological limit values:		

#### CAS: 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

**Additional information:** The lists that were valid during compilation were used as a basis.

# 8.2 Exposure controls

# Personal protective equipment

#### General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment on-site shows that there is no risk for employees, the personal protective euigment is not required or the amount of the PPE can be adpated accordingly.

#### Respiratory equipment:

Respiratory protection if there is a risk of splashes/mist.

Filter A/P2.

# Protection of hands:

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# Material of gloves

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 4)

# Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** if there is a risk of splashes **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties		
General Information		
Appearance:	Fixid	
Form: Colour:	Fluid	
	According to product specification	
Odour: Odour threshold:	Weak, characteristic Not determined.	
pH-value at 20 °C:	8	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range:	100 °C	
Flash point:	>100 °C	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not self-igniting.	
Explosive properties:	Product is not explosive.	
Explosive Limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.02 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Distribution coefficient (n-octanol/water): Not determined.		
Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C:	12 s (DIN 53211/4)	
Solvent separation test	< 3 %	
VOC EU	< 130 g/l	
9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 5)

#### 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

None if used properly. None if stored properly.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

**Sensitisation:** Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Harmful to fish

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, bodies of water or sewage system, even in small quantities.

Do not allow product to reach ground water, bodies of water or sewage system. Hazardous to drinking water even if extremely small quantities leak into soil.

Harmful to aquatic organisms

# 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

#### Recommendation

Must be specially treated in compliance with official regulations.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

#### European waste catalogue

03 02 05\* other wood preservatives containing hazardous substances

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 6)

**Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of  Marpol and the IBC Code Not applicable.		
Transport/Additional information:	Not a hazardous good according to the above regulations.	
UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations

# Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

Delivery specifications are found in the respective Technical Information Sheets.

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

# Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method

(Contd. on page 8)

Page 8/8

# Order now through www.impregnationoutlet.com/induline-gw310 Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 11 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 7)

# Department issuing data specification sheet: Product Safety department / EHS Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 3: Acute toxicity - inhalation – Category 3

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3